

Data Sheet for Article: LI1006066-

NUMINOS® GIMBLE XL 3800lm

1000/1050mA 20° 940 black/white

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

NUMINOS ist das optimal aufeinander abgestimmte Leuchtsystem von SLV, das Funktion, Design und Technik vereint. Die unterschiedlichen Down- und Spotlights machen Tausend lichtgestalterische Optionen möglich. Auch mit der NUMINOS® GIMBLE XL Deckeneinbauleuchte, die mit bester Verarbeitungs- und Lichtqualität überzeugt. Ideal für eine unauffällige, moderne und platzsparende Beleuchtung, die den Fokus auf Objekte oder den Raum lenkt. Die Montage erledigen Sie dann im Handumdrehen. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	3800
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	37,40
Cut-out size (mm)	Ø 175
Length (mm)	190

Technical Data - continued

Width (mm)	190
Height (mm)	135
Diameter (mm)	190
LxWxH mm	190x190x135
ØxH mm	190x135
Cut-out size mm	Ø 175

DESCRIPTION	Order No.
NUMINOS® GIMBLE XL 3800lm 1000/1050mA 20° 940 black/white Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1006066