

Data Sheet for Article: LI1006073-

NUMINOS® GIMBLE XL 3750lm

1000/1050mA 55° 940 black/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Product Details

Das NUMINOS Leuchtsystem von SLV vereint Funktion, Design und Technik auf perfekte Art und Weise. Mit vielfältigen Down- und Spotlights sorgen Sie für Tausend lichtgestalterische Möglichkeiten. Wie mit dem NUMINOS® GIMBLE XL Deckeneinbauleuchte, die durch ihre hochwertige Verarbeitungs- und Lichtqualität besticht. Ideal für eine harmonische, moderne und platzsparende Beleuchtung, die den Akzent auf Objekte oder den Raum lenkt. Die leichte Installation ist dann nur noch Formsache. Wann entscheiden Sie sich NUMINOS von SLV – die modulare Vielfalt erwartet Sie.

Technical Data

Luminous flux (lm)	3750
Dimmable	Depending on driver yes
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	55
Power (W)	37,40
Cut-out size (mm)	Ø 175
Length (mm)	190

Technical Data - continued

Width (mm)	190
Height (mm)	135
Diameter (mm)	190
LxWxH mm	190x190x135
ØxH mm	190x135
Cut-out size mm	Ø 175

DESCRIPTION	Order No.
NUMINOS® GIMBLE XL 3750lm 1000/1050mA 55° 940 black/chrome Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!	LI1006073