


Data Sheet for Article: LI112222--

DL 126 LED downlight, 3W, 3000K, 12V, round, acryl, chrome



Product Details

Die DL 126 Einbauleuchte besteht durch ihre geringe Höhe und ist daher optimal für den Einsatz bei geringen Einbautiefen geeignet. Die sechs langlebige SMD LED mit einer Gesamtleistung von 3W sorgen für die nötige Beleuchtungsstärke. Verfügbar ist die Einbauleuchte mit weißer, chrom und metall gebürstet farbender Blende. Zum Betrieb wird ein passendes 12V Gleichspannungsnetzteil benötigt. Diese Leuchte enthält eingebaute warmweiße LED-Lampen.

Technical Data

Luminous flux (lm)	150
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Service life	60000
Dimmable	no
Protection class	III
Energy efficiency class	G
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine

Technical Data - continued

Beam angle (°)	90
System efficiency (lm/W)	50
Power (W)	3
Controller	LED driver
Operating voltage DC (V)	12
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 57
Mounting Depth mm (mm)	14
Colour	Chrome
Material	Aluminum Plastic
Lenght (mm)	65
Width (mm)	65
Height (mm)	16
Diameter (mm)	65
Optional Accessories	LI112175--, LI112181--, LI112182--, LI112185--, LI470507--
LxWxH mm	65x65x16
ØxH mm	65x16
Cut-out size mm	Ø 57

Article Table

DESCRIPTION	Order No.
DL 126 LED downlight, 3W, 3000K, 12V, round, acryl, chrome	LI112222
Optional Accessories	
Triangular installation housing for DL 126 recessed fitting, brushed metal	LI112175
INSTALLATION FRAME for DL 126 recessed fitting, round, white	LI112181
INSTALLATION FRAME for DL 126 recessed fitting, round chrome	LI112182
INSTALLATION FRAME for DL 126 recessed fitting, round brushed metal	LI112185
LED power supply, 12W, 12V	LI470507