

Data Sheet for Article: LI135074--

MEDO 40 LED, ceiling luminaire, silvergrey

LED ceiling surface mounted and pendant luminaire



Product Details

Die hochwertige MEDO 40 Deckenleuchte überzeugt durch eine klare Formgebung und einen eleganten Kontrast der verwendeten Materialien Aluminium und Glas. Die Leuchte ist in den Farben schwarz, weiß, silbergrau und weinrot erhältlich. Die integrierte Premium LED bietet eine angenehme Lichtwirkung, der enthaltene LED-Treiber ermöglicht den direkten Anschluss an 230V Netzspannung. Durch die Verwendung des entsprechenden Zubehörs, kann die Deckenleuchte zur Pendelleuchte umfunktioniert werden.

Technical Data

Luminous flux (lm)	2580
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Service life	20.000h
Dimmable	yes trailing edge dimmable (C)
Protection class	I
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes
Number of lamps	4
Lamp holder	LED Platine

Technical Data - continued

Beam angle (°)	105
System efficiency (lm/W)	83
Power (W)	31
Mounting	surface mounting ceiling
Colour	Silver grey
Material	Steel Aluminum Plastic
Lenght (mm)	380
Width (mm)	380
Height (mm)	110
Diameter (mm)	380
Optional Accessories	LI1001950-;LI1001951-;LI1001952-;LI135250--;LI135251--;LI135254--
LxWxH mm	380x380x110
ØxH mm	380x110

Article Table

DESCRIPTION	Order No.
MEDO 40 LED, ceiling luminaire, silvergrey LED ceiling surface mounted and pendant luminaire	LI135074
Optional Accessories	
MEDO 5m suspension, white	LI1001950
MEDO 5m suspension, grey	LI1001951
MEDO 5m suspension, black	LI1001952
suspension set for 1-10V MEDO LED, 5-core, black	LI135250
suspension set for 1-10V MEDO LED, 5-core, white	LI135251
suspension set for 1-10V MEDO LED, 5-core, silvergrey	LI135254