


Data Sheet for Article: LID 10196--

10105X/B BLACK 50w **ECONOMY**

01 REC SPOTS FIX



Product Details

Recessed classic MR16 with GU5,3 lampholder. Complies with standard EN60598-1 and any other specific standards.




Technical Data

Protection class	III
IP Rating	IP20
Luminaire type	downlight
Light source	Low voltage halogen - reflector lamp LED Retrofit
Illuminant incl.	no
Number of lamps	1
Lamp holder	GU5,3
Power (W)	50
Operating voltage AC (V)	12
Operating voltage DC (V)	12
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 63

Technical Data - continued

Mounting depth (mm)	60
Colour	Grey
Material	Aluminum
Height (mm)	22
Diameter (mm)	76
Optional Accessories	LID10028--; LID16949--
Necessary Accessories	LI43819756; LID13520--
ØxH mm	76x22
Cut-out size mm	Ø 63

Dimensioned drawing: 10105X/B BLACK 50w



Article Table

DESCRIPTION	Order No.
10105X/B BLACK 50w 01 REC SPOTS FIX	LID10196
Necessary Accessories	
RL-MR16 35 3,8W 840 350lm 12V GU5.3 36° LED low voltage reflector lamp	LI43819756
89075W DRIVER 12V 0-75W 230V 23 DRIVERS	LID13520
Optional Accessories	
0950G GU10 SOCKET + CONNECTOR 26 ACCES&GADGETS	LID10028
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949