


Data Sheet for Article: LID11962--

Cave Square LED 2W 200lm 3000K CRI70

IP54 220-240V grey **€ECONOMY**

Wall lamp




Technical Data

Luminous flux (lm)	200
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥70
Dimmable	no
Protection class	II
IP Rating	IP54
Luminaire type	Recessed wall luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
System efficiency (lm/W)	100
Power (W)	2
Operating voltage AC (V)	220-240

Technical Data - continued

Frequency (Hz)	50/60
Mounting	recessed wall mounting
Cut-out size (mm)	170x120
Mounting depth (mm)	90
Colour	Grey
Material	Die-cast aluminum
Cover	Clear
Length (mm)	185
Width (mm)	137
Height (mm)	88
Optional Accessories	LID 16949--
LxWxH mm	185x137x88
Cut-out size mm	170x120

Dimensioned drawing: Cave Square LED 2W 200lm 3000K CRI70 IP54 220-240V grey



Article Table

DESCRIPTION	Order No.
Cave Square LED 2W 200lm 3000K CRI70 IP54 220-240V grey Wall lamp	LID11962
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949