

Data Sheet for Article: LID12978--

10124/G/C GREY SMD 24W CW IP44

85-240V

06 DOWNLIGHT FIX LED



Product Details

24W SMD LED recessed downlight, chrome bezel range, IP44. Complete with 600mA driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	1550
Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Service life	30.000h
Dimmable	no
Protection class	I
IP Rating	IP44
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
Beam angle (°)	125

Technical Data - continued

System efficiency (lm/W)	65
Power Factor	0,9
Power (W)	24
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	100-240
Output voltage DC (V)	23-28
Output current (A)	1
Frequency (Hz)	50/60
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 210
Mounting Depth mm (mm)	160
Colour	Grey
Material	Aluminum
Cover	opal
Height (mm)	151
Diameter (mm)	238
Optional Accessories	LID16949--
ØxH mm	238x151
Cut-out size mm	Ø 210

Article Table

DESCRIPTION	Order No.
10124/G/C GREY SMD 24W CW IP44 85-240V 06 DOWNLIGHT FIX LED	LID12978
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949