


Data Sheet for Article: LID13062--

11112/W/W WHITE COB 12W WW 700mA

38° IP20 ADJUSTABLE €ECONOMY

DARK LIGHT; 04 REC SPOTS ADJ LED



Product Details

12W COB LED Recessed Adjustable Spot. Requires 700mA driver. Complies with standard EN60598-1 and any other specific standards




Technical Data

Luminous flux (lm)	1100
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes

Technical Data - continued

Number of lamps	1
Lamp holder	LED Platine
Beam angle (°)	38
System efficiency (lm/W)	91
Power (W)	12
Controller	Needs to be ordered separately
Operation current mA (mA)	700
Input current (A)	0,70
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 76
Mounting depth (mm)	90
Colour	White
Material	Die-cast aluminum
Height (mm)	85
Diameter (mm)	85
Optional Accessories	LID16949--
Necessary Accessories	LID13081--;
ØxH mm	85x88
Cut-out size mm	Ø 76

**Dimensioned drawing: 11112/W/W WHITE COB 12W WW 700mA 38° IP20
ADJUSTABLE**



Article Table

DESCRIPTION	Order No.
11112/W/W WHITE COB 12W WW 700mA 38° IP20 ADJUSTABLE DARK LIGHT; 04 REC SPOTS ADJ LED	LID13062
Necessary Accessories	
89015A DRIVER 700mA 7-15W 230V 23 DRIVERS	LID13081
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949