

Data Sheet for Article: LID13269--

50105ALG/AL ALUMINIUM GU10 10W DARK LIGHT

01 REC SPOTS FIX



Product Details

Dark Light Recessed MR16 spot with GU10 lampholder. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Dimmable	yes Depending on light source
Protection class	I
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Light source	LED Retrofit MR16
Illuminant incl.	no
Number of lamps	1
Lamp holder	GU10
Power (W)	10
Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Frequency (Hz)	50/60

Technical Data - continued

Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 78
Mounting depth (mm)	150
Colour	Aluminium
Material	Aluminum
Length (mm)	95
Width (mm)	95
Height (mm)	120
Optional Accessories	LID 17278--; LID 17279--; LID 17203--; LID 13226--; LID 14508--; LID 15671--; LID 16949--; LID 16223--; LID 13106--
LxWxH mm	95x95x120
Cut-out size mm	Ø 78

Article Table

DESCRIPTION	Order No.
50105ALG/AL ALUMINIUM GU10 10W DARK LIGHT 01 REC SPOTS FIX	LID 13269
Optional Accessories	
7305EG/W 5W GU10 WW 230V IP44 FOR ENCLOSED FITTINGS Suitable for high ambient temperature enclosed fittings; 25 LAMPS	LID 17278
7305EGD/W 5W GU10 WW IP44 DIMMABLE FOR ENCLOSED FITTINGS Suitable for high ambient temperature enclosed luminaires; 25 LAMPS	LID 17279
7304GE/W EMERGENCY SMD 4W 3hrs WW GU10 60° 230V TRIAC DIM Emergency bulb, adapted for continuous operation only; 25 LAMPS	LID 17203
7306CG/W WHITE COB 6W WW GU10 60° 230V 25 LAMPS	LID 13226
7306CGD/W WHITE COB 6W WW GU10 60° 230V DIMMABLE dimmable; 25 LAMPS	LID 14508
7306CBG/W BLACK COB 6W WW GU10 60° 230V Reflector lamp; 25 LAMPS	LID 15671
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID 16949
89002A EMERGENCY KIT MR16 LED MODULE 3W 22 EMERGENCY LIGHTS	LID 16223

Article Table

DESCRIPTION	Order No.
Optional Accessories	
89009/EME EMERGENCY KIT FOR GU10/E27 LED LAMPS 3-7W	LID13106
This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	