

Data Sheet for Article: LID13439--

Dewy IP65 for 2xT8 LED Tube 100-240V

1265mm IP65 PC/PC grey

Moisture-proof diffuser luminaire



Product Details

T8 LED Tubes IP65 Range Only suitable for T8 LED tubes Complies with standard EN60598-1 and any other specific standards.



Technical Data

Net length (mm)	1.265,00
-----------------	----------

Technical Data - continued

Net width (mm)	110,00
Net height (mm)	1.265,00
Net diameter (mm)	80,00
Net weight (kg)	1,93
Luminaire type	Moisture proof luminaire
Mounting	surface mounting ceiling surface mounting wall
Colour	Grey
Material	PC
Cover	PC opal
Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Light source	LED Retrofit
Lamp holder	T8
Number of lamps	2
Dimmable	no
Protection class	I
IP Rating	IP65
Shock strength	IK08
Illuminant incl.	no
Diameter (mm)	80
LxWxH mm	1265x110x1265
ØxH mm	80x1265

Dimensioned drawing: Dewy IP65 for 2xT8 LED Tube 100-240V 1265mm IP65 PC/PC grey



Article Table

DESCRIPTION	Order No.
Dewy IP65 for 2xT8 LED Tube 100-240V 1265mm IP65 PC/PC grey Moisture-proof diffuser luminaire	LID13439
Optional Accessories	
9018L/W T8 GLASS TUBE 18W WW 120cm FROSTED 230V powered on both sides; 25 LAMPS	LID12637
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949
9018L/V T8 GLASS TUBE 18W CCTV 120cm FROSTED 230V powered on both sides; 25 LAMPS	LID17358