


Data Sheet for Article: LID13625--

67362/AN/W ANTHRACITE PLAFO 20W WW IP54 230V

Ceiling luminaire; 14 PLAFO



Light distribution curve



Product Details


20W LED slim plafo, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	1600
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80

Technical Data - continued

Dimmable	no
Protection class	I
IP Rating	IP54
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
Beam angle (°)	120
System efficiency (lm/W)	75
Power Factor	0,9
Power (W)	20
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	550
Input current (A)	0,50
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Anthracite
Material	Die-cast aluminum
Height (mm)	46
Diameter (mm)	238
Optional Accessories	LID16949--
ØxH mm	238x46

**Dimensioned drawing: 67362/AN/W ANTHRACITE PLAFO 20W WW IP54
230V**

Article Table

DESCRIPTION	Order No.
67362/AN/W ANTHRACITE PLAFO 20W WW IP54 230V Ceiling luminaire; 14 PLAFO	LID13625
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949