

Data Sheet for Article: LID13663--

7835W/W LED STRIP 24V DC WW 5m ROLL

14,4W/m IP68

LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES



Product Details

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Service life	30.000h
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP68
EEC	G
Energy efficiency class	G
Luminaire type	LED Strip
Illuminant incl.	yes

Technical Data - continued

Lamp holder	LED Platine
System efficiency (lm/W)	72
Controller	Needs to be ordered separately
Operating voltage DC (V)	24
Input voltage DC (V)	24
Mounting	surface mounting ceiling surface mounting wall floor mounting
Material	Silikon
Length (mm)	5000
Width (mm)	10
Optional Accessories	LID16631--
luminous flux/m (lm/m)	1050

Article Table

DESCRIPTION	Order No.
7835W/W LED STRIP 24V DC WW 5m ROLL 14,4W/m IP68 LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES	LID13663
Optional Accessories	
7827A MOUNTING CLIP FOR 7830W/RGBW, 7846W, 7846WA 14mm 08 STRIPS & PROFILES	LID16631