


Data Sheet for Article: LID13718--

Turbus-S LED 15W 1280lm 830 IP40 220-240V

90° white €ECONOMY




Technical Data

Luminous flux (lm)	1280
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP40
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
Beam angle (°)	90
System efficiency (lm/W)	85
Power Factor	0,9
Power (W)	15

Technical Data - continued

Controller	LED driver
Operating voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	White
Material	Aluminum
Height (mm)	100
Diameter (mm)	130
Optional Accessories	LID 16949--
ØxH mm	130x100

Dimensioned drawing: Turbus-S LED 15W 1280lm 830 IP40 220-240V 90° white



Article Table

DESCRIPTION	Order No.
Turbus-S LED 15W 1280lm 830 IP40 220-240V 90° white	LID13718
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port	LID16949
26 ACCES&GADGETS	