


Data Sheet for Article: LID13892--

Aline-M LED 13W 950lm 840 IP54 220-240V

90° white €ECONOMY

Bathroom Downlights



Technical Data

Luminous flux (lm)	950
Light colour	cool white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80

Technical Data - continued

Service life	40.000h
Dimmable	no
Protection class	II
IP Rating	IP54
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
Beam angle (°)	90
System efficiency (lm/W)	73
Power Factor	0,9
Power (W)	13
Controller	LED driver
Operating voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø95
Mounting depth (mm)	70
Colour	White
Material	Plastic Die-cast aluminum
Height (mm)	48
Diameter (mm)	110
Optional Accessories	LID 16949--
ØxH mm	110x48
Cut-out size mm	Ø95

Dimensioned drawing: Aline-M LED 13W 950lm 840 IP54 220-240V 90° white



Article Table

DESCRIPTION	Order No.
Aline-M LED 13W 950lm 840 IP54 220-240V 90° white Bathroom Downlights	LID13892
Optional Accessories	
Through-hole quick-connector 32A, 2x L-N-PE	LID16949