


Data Sheet for Article: LID13904--

67280AN/AN/W ANTHRACITE LED PLAFO

24W WW IP65 230V €ECONOMY

LED wall, ceiling lamp; 14 PLAFO



Product Details

24W LED plafo light, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Technical Data

Luminous flux (lm)	1440
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP65
Shock strength	IK08
Luminaire type	LED Plafo
Illuminant incl.	yes

Technical Data - continued

Number of lamps	1
Lamp holder	LED Platine
System efficiency (lm/W)	60
Power Factor	0,9
Power (W)	24
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	600
Input current (A)	0,60
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Anthracite
Material	PC Plastic
Cover	PC opal
Height (mm)	78
Diameter (mm)	300
Optional Accessories	LID 16949--
ØxH mm	300x83

Dimensioned drawing: 67280AN/AN/W ANTHRACITE LED PLAFO 24W WW IP65 230V



Article Table

DESCRIPTION	Order No.
67280AN/AN/W ANTHRACITE LED PLAFO 24W WW IP65 230V LED wall, ceiling lamp; 14 PLAFO	LID13904
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949