

Data Sheet for Article: LID13924--

67359/AN/W ANTHRACITE WALL LIGHT 3W

WW IP54 100-240V

13 WALL & CEIL LED



Product Details

3W LED wall light, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	200
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP54
Luminaire type	ceiling luminaire wall luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
System efficiency (lm/W)	66

Technical Data - continued

Power Factor	0,5
Power (W)	3
Controller	LED driver
Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Operation current mA (mA)	350
Input current (A)	0,35
Frequency (Hz)	50/60
Mounting	surface mounting ceiling surface mounting wall
Colour	Anthracite
Material	Die-cast aluminum
Height (mm)	30
Diameter (mm)	100
Optional Accessories	LID16949--
ØxH mm	100x30

Article Table

DESCRIPTION	Order No.
67359/AN/W ANTHRACITE WALL LIGHT 3W WW IP54 100-240V 13 WALL & CEIL LED	LID13924
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949