

Data Sheet for Article: LID 14145--

10112P/W/C WHITE COB 12W CW 700mA IP65 DARK LIGHT

Ceiling-recessed spotlight, dimmable; 02 REC SPOTS FIX LED



Product Details

12W COB LED recessed spot, IP65, for general application._x000D_ Suitable for bathroom installation._x000D_ Requires 700mA constant current driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technical Data

Luminous flux (lm)	1100
Light colour	cool white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP65
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	40
System efficiency (lm/W)	91

Technical Data - continued

Power (W)	12
Controller	Needs to be ordered separately
Operation current mA (mA)	700
Input current (A)	0,70
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 68
Mounting depth (mm)	105
Colour	White
Material	Die-cast aluminum
Height (mm)	85
Diameter (mm)	83
Optional Accessories	LID16949--
Necessary Accessories	LID13081--;
ØxH mm	83x85
Cut-out size mm	Ø 68

Dimensioned drawing: 10112P/W/C WHITE COB 12W CW 700mA IP65 DARK LIGHT



Article Table

DESCRIPTION	Order No.
10112P/W/C WHITE COB 12W CW 700mA IP65 DARK LIGHT Ceiling-recessed spotlight, dimmable; 02 REC SPOTS FIX LED	LID14145
Necessary Accessories	
89015A DRIVER 700mA 7-15W 230V 23 DRIVERS	LID13081
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949