

Data Sheet for Article: LID 14150--

10107T/W/W WHITE SMD 7W WW IP20

230V

Ceiling-recessed spotlight; 06 DOWNLIGHT FIX LED



Product Details

7W SMD LED recessed downlight, budget range, IP20. Complete with 250mA driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	490
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	120
System efficiency (lm/W)	70
Power Factor	0,5

Technical Data - continued

Power (W)	7
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 85
Mounting depth (mm)	60
Colour	White
Material	Aluminum
Height (mm)	42
Diameter (mm)	116
Optional Accessories	LID16949--
ØxH mm	116x42
Cut-out size mm	Ø 85

Dimensioned drawing: 10107T/W/W WHITE SMD 7W WW IP20 230V



Article Table

DESCRIPTION	Order No.
10107T/W/W WHITE SMD 7W WW IP20 230V Ceiling-recessed spotlight; 06 DOWNLIGHT FIX LED	LID14150
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949