

Data Sheet for Article: LID14358--

89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT

Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS



Product Details

1W Emergency LED ceiling Plexiglass Exit sign._x000D_ Supplied with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technical Data

Emergency light	Emergency kit 3h
Dimmable	no
Protection class	II
IP Rating	IP44
Luminaire type	celling luminaire
Light source	LED
Lamp holder	LED Platine
Power (W)	1
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling

Technical Data - continued

Colour	White
Material	Plastic
Length (mm)	300
Height (mm)	205
Optional Accessories	LID16949--
ØxH mm	305x205

Dimensioned drawing: 89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT



Article Table

DESCRIPTION	Order No.
89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS	LID14358
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949