

Data Sheet for Article: LID14460--

10107DL/W/W WHITE COB LED 6,5W WW

DARK LIGHT IP65 38° 700mA €ECONOMY

Ceiling-recessed spotlight, dimmable, requires 700mA driver; 02 REC SPOTS FIX LED



Product Details

6,5W COB LED recessed spot IP65. Requires 700mA driver. Complies with standard EN60598-1 and any other specific standards.



Technical Data

Luminous flux (lm)	550
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP65
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine

Technical Data - continued

Beam angle (°)	38
System efficiency (lm/W)	84
Power (W)	6,50
Controller	Needs to be ordered separately
Operation current mA (mA)	700
Input current (A)	0,70
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 47
Mounting depth (mm)	90
Colour	White
Material	Aluminum
Height (mm)	90
Diameter (mm)	53
Optional Accessories	LID 16949--
Necessary Accessories	LID 15637--; LID 17390--
ØxH mm	53x80
Cut-out size mm	Ø 47

Dimensioned drawing: 10107DL/W/W WHITE COB LED 6,5W WW DARK LIGHT IP65 38° 700mA



Article Table

DESCRIPTION	Order No.
10107DL/W/W WHITE COB LED 6,5W WW DARK LIGHT IP65 38° 700mA Ceiling-recessed spotlight, dimmable, requires 700mA driver; 02 REC SPOTS FIX LED	LID14460
Necessary Accessories	
89008A DRIVER 700mA 4-8W 230V 23 DRIVERS	LID15637
89008AT DIMMABLE DRIVER 700mA 6-8W 230V 23 DRIVERS	LID17390
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949