


Data Sheet for Article: LID14487--

67390/AN/W ANTHRACITE PLAFO 21W WW

IP65 230V **€ECONOMY**

LED ceiling luminaire; 14 PLAFO



Product Details

21 W LED slim plafo, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Technical Data

Luminous flux (lm)	1300
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP65
Shock strength	IK08
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes

Technical Data - continued

Lamp holder	LED Platine
System efficiency (lm/W)	61
Power Factor	0,9
Power (W)	21
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	550
Input current (A)	0,50
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Anthracite
Material	ABS PC
Cover	PC opal
Height (mm)	63
Diameter (mm)	320
Optional Accessories	LID16949--
ØxH mm	320x63

Dimensioned drawing: 67390/AN/W ANTHRACITE PLAFO 21W WW IP65 230V



Article Table

DESCRIPTION	Order No.
67390/AN/W ANTHRACITE PLAFO 21W WW IP65 230V LED ceiling luminarie; 14 PLAFO	LID14487
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949