


Data Sheet for Article: LID14544--

68068C/G/W GREY WALL RECESSED 7W WW

IP65 DARK LIGHT 100-240V €ECONOMY

recessed wall luminaire; 19 WALL REC & INGRND



Product Details

7W LED wall recessed light, IP65, ideal for both indoor and outdoor installation. Complete 350mA driver. Supplied with box for concrete installation. Complies with standard EN60598-1 and any other specific standards.



Technical Data

Luminous flux (lm)	550
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP65
Shock strength	IK06
Luminaire type	Recessed wall luminaire
Illuminant incl.	yes

Technical Data - continued

Lamp holder	LED Platine
System efficiency (lm/W)	91
Power Factor	0,5
Power (W)	7
Controller	LED driver
Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Operation current mA (mA)	350
Input current (A)	0,35
Frequency (Hz)	50/60
Mounting	recessed wall mounting
Cut-out size (mm)	220x70
Mounting Depth mm (mm)	80
Colour	Grey
Material	Die-cast aluminum
Lenght (mm)	225
Width (mm)	75
Height (mm)	55
Optional Accessories	LID 16949--
LxWxH mm	225x75x55
Cut-out size mm	220x70

Dimensioned drawing: 68068C/G/W GREY WALL RECESSED 7W WW IP65 DARK LIGHT 100-240V



Article Table

DESCRIPTION	Order No.
68068C/G/W GREY WALL RECESSED 7W WW IP65 DARK LIGHT 100-240V recessed wall luminaire; 19 WALL REC & INGRND	LID14544
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949