


Data Sheet for Article: LID14580--

62140RF/W/C WHITE 40W CW IP40

230V ECONOMY

LED ceiling luminarie; 14 PLAFO



Product Details

40W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.




Technical Data

Luminous flux (lm)	2700
Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP40
Light source	LED
Power (W)	40
Controller	LED driver

Technical Data - continued

Operating voltage AC (V)	100-240
Mounting	recessed mounting ceiling pendant
Colour	White
Material	Die-cast aluminum
Length (mm)	1200
Width (mm)	145
Height (mm)	50
Optional Accessories	LID 16949--
LxWxH mm	1200x145x50
Watt (W)	40

Dimensioned drawing: 62140RF/W/C WHITE 40W CW IP40 230V



Article Table

DESCRIPTION	Order No.
62140RF/W/C WHITE 40W CW IP40 230V LED ceiling luminarie; 14 PLAFO	LID14580
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949