

Data Sheet for Article: LID14781--

62038F/W/W WHITE PLAFO 38W WW IP40 230V

Complete with driver; 14 PLAFO



Product Details

38W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	2900
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP40
Shock strength	IK04
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	76
Power (W)	38

Technical Data - continued

Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	White
Material	Aluminum PC
Cover	PC opal
Height (mm)	18
Diameter (mm)	450
Optional Accessories	LID16949--
ØxH mm	450x18

Dimensioned drawing: 62038F/W/W WHITE PLAFO 38W WW IP40 230V



Article Table

DESCRIPTION	Order No.
62038F/W/W WHITE PLAFO 38W WW IP40 230V Complete with driver; 14 PLAFO	LID14781
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949