

Data Sheet for Article: LID15376--

10118B/W/W WHITE LED 18W IP54 WW 230V

Complete with driver; 06 DOWNLIGHT FIX LED



Product Details

18W LED recessed downlight, IP54. Suitable for bathroom installations. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Luminous flux (lm)	1300
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Service life	40.000h
Dimmable	no
Protection class	II
IP Rating	IP54
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	90
System efficiency (lm/W)	72

Technical Data - continued

Power Factor	0,9
Power (W)	18
Controller	LED driver
Operating voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 140
Mounting Depth mm (mm)	70
Colour	White
Material	Plastic Die-cast aluminum
Height (mm)	45
Diameter (mm)	170
Optional Accessories	LID 16949--
ØxH mm	170x45
Cut-out size mm	Ø 140

Dimensioned drawing: 10118B/W/W WHITE LED 18W IP54 WW 230V



Article Table

DESCRIPTION	Order No.
10118B/W/W WHITE LED 18W IP54 WW 230V Complete with driver; 06 DOWNLIGHT FIX LED	LID15376
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949