

Data Sheet for Article: LID15404--

67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT

Wall and ceiling luminaire, Complete with driver; 13 WALL & CEIL LED



Product Details

7W LED Wall and Ceiling Dark light. Complete with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Luminous flux (lm)	600
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP54
Shock strength	IK08
Luminaire type	ceiling luminaire wall luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	85

Technical Data - continued

Power Factor	0,5
Power (W)	7
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	300
Input current (A)	0,30
Frequency (Hz)	50/60
Mounting	surface mounting ceiling surface mounting wall
Colour	Anthracite
Material	ABS PC
Cover	PC opal
Height (mm)	60
Diameter (mm)	163
Optional Accessories	LID16949--
ØxH mm	163x60

Dimensioned drawing: 67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT



Article Table

DESCRIPTION	Order No.
67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT Wall and ceiling luminaire, Complete with driver; 13 WALL & CEIL LED	LID15404
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949