

Data Sheet for Article: LID15410--

67400E/G GREY WALL 2xPAR30 20W E27

IP65

Wall and ceiling luminaire; 12 WALL & CEILING



Product Details

2xPAR30, E27 Wall outdoor cylinder, IP65._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technical Data

Dimmable	yes Depending on light source
Protection class	I
IP Rating	IP65
Shock strength	IK06
Luminaire type	ceiling luminaire wall luminaire
Light source	PAR 20
Illuminant incl.	no
Number of lamps	2
Lamp holder	E27
Power (W)	40
Operating voltage AC (V)	100-240

Technical Data - continued

Input voltage AC (V)	100-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling surface mounting wall
Colour	Grey
Material	Glass Die-cast aluminum
Height (mm)	250
Diameter (mm)	108
Optional Accessories	LIMD0027--;LID 13010--;LID 13012--;LID 14500--;LID 16949--;LID 13106 --
ØxH mm	108x250

Dimensioned drawing: 67400E/G GREY WALL 2xPAR30 20W E27 IP65



Article Table

DESCRIPTION	Order No.
67400E/G GREY WALL 2xPAR30 20W E27 IP65 Wall and ceiling luminaire; 12 WALL & CEILING	LID15410
Optional Accessories	
LED Classic 8,8W 4000K 806lm E27 A60 270°, daylight sensor	LIMD0027
LED Lampe 6W E27 480lm 2700K CRI80 220-240V	LID13010
9G12B/EW/E LED 10w EW E27 FROSTED 230V 25 LAMPS	LID13012
7310H/C PAR30 COB LED 10W CW E27 230V 25 LAMPS	LID14500
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949
89009/EME EMERGENCY KIT FOR GU10/E27 LED LAMPS 3-7W This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106