

Data Sheet for Article: LID15495--

12108LA/W/W WHITE COB LED 8W WW IP20

230V

Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED



Product Details

8W COB LED adjustable ceiling downlight, ideal for residential_x000D_ and commercial illumination._x000D_ Complete with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technical Data

Luminous flux (lm)	600
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	I
IP Rating	IP20
Luminaire type	ceiling luminaire wall luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	25
System efficiency (lm/W)	75

Technical Data - continued

Power Factor	0,5
Power (W)	8
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	700
Frequency (Hz)	50/60
Mounting	surface mounting ceiling surface mounting wall
Colour	White
Material	Aluminum
Height (mm)	40
Diameter (mm)	78
Optional Accessories	LID 16949--
ØxH mm	78x40

Dimensioned drawing: 12108LA/W/W WHITE COB LED 8W WW IP20 230V



Article Table

DESCRIPTION	Order No.
12108LA/W/W WHITE COB LED 8W WW IP20 230V Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED	LID15495
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949