

Data Sheet for Article: LID15614--

# 68068C/B/W BLACK WALL RECESSED 7W WW IP65 DARK LIGHT

Wall recessed luminaire, Outdoor, Complete with driver; 19 WALL REC & INGRND



## Product Details

7W LED wall recessed light, IP65, ideal for both indoor\_x000D\_ and outdoor installation.\_x000D\_ Complete 350mA driver.\_x000D\_ Supplied with box for concrete installation\_x000D\_ Complies with standard EN60598-1 and any other specific\_x000D\_ standards.


## Technical Data

|                             |                         |
|-----------------------------|-------------------------|
| Luminous flux (lm)          | 550                     |
| Light colour                | warm white              |
| Colour temperature (K)      | 3000                    |
| Colour rendering index (Ra) | ≥80                     |
| Dimmable                    | no                      |
| Protection class            | I                       |
| IP Rating                   | IP65                    |
| Shock strength              | IK06                    |
| Luminaire type              | Recessed wall luminaire |
| Illuminant incl.            | yes                     |
| Lamp holder                 | LED Platine             |
| System efficiency (lm/W)    | 91                      |

## Technical Data - continued

|                           |                        |
|---------------------------|------------------------|
| Power Factor              | 0,5                    |
| Power (W)                 | 7                      |
| Controller                | LED driver             |
| Operating voltage AC (V)  | 100-240                |
| Input voltage AC (V)      | 100-240                |
| Operation current mA (mA) | 350                    |
| Frequency (Hz)            | 50/60                  |
| Mounting                  | recessed wall mounting |
| Cut-out size (mm)         | 220x70                 |
| Mounting depth (mm)       | 80                     |
| Colour                    | Black                  |
| Material                  | Die-cast aluminum      |
| Lenght (mm)               | 225                    |
| Width (mm)                | 75                     |
| Height (mm)               | 55                     |
| Optional Accessories      | LID 16949--            |
| LxWxH mm                  | 225x75x55              |
| Cut-out size mm           | 220x70                 |

## Dimensioned drawing: 68068C/B/W BLACK WALL RECESSED 7W WW IP65 DARK LIGHT



## Article Table

| DESCRIPTION                                                                  | Order No. |
|------------------------------------------------------------------------------|-----------|
| 68068C/B/W BLACK WALL RECESSED 7W WW IP65 DARK LIGHT                         | LID15614  |
| Wall recessed luminaire, Outdoor, Complete with driver; 19 WALL REC & INGRND |           |
| <b>Optional Accessories</b>                                                  |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port                                    | LID16949  |
| 26 ACCES&GADGETS                                                             |           |