

Data Sheet for Article: LID15673--

50122D/W/C WHITE 22W CW IP20 230V 100° DARK LIGHT

06 DOWNLIGHT FIX LED



Product Details

22W Dark Light LED Downlight. Supplied with 500mA non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	1870
Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	100
Power of system (W)	85
System efficiency (lm/W)	85

Technical Data - continued

Power Factor	0,9
Power (W)	22
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	500
Input current (A)	0,50
Frequency (Hz)	50/60
Mounting	recessed mounting ceiling
Cut-out size (mm)	160x160
Mounting Depth mm (mm)	75
Colour	White
Material	Die-cast aluminum
Length (mm)	170
Width (mm)	170
Height (mm)	55
Optional Accessories	LID16949--
LxWxH mm	170x170x55
Cut-out size mm	160x160

Article Table

DESCRIPTION	Order No.
50122D/W/C WHITE 22W CW IP20 230V 100° DARK LIGHT 06 DOWNLIGHT FIX LED	LID15673
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949