

Data Sheet for Article: LID15842--

67470A/B/W BLACK BOLLARD 80cm 10W WW IP65 230V

Path light; 20 GARDEN&UNDERWATER



Product Details

10W LED Bollard, IP65 for Garden illumination. _x000D_ Supplied with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.

Technical Data

Luminous flux (lm)	500
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP65
Shock strength	IK10
Luminaire type	bollard luminarie
Illuminant incl.	yes
Lamp holder	LED Platine
Power of system (W)	50
System efficiency (lm/W)	50

Technical Data - continued

Power Factor	0,9
Power (W)	10
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	250
Frequency (Hz)	50/60
Mounting	floor mounting
Colour	Black
Material	PC Die-cast aluminum
Lenght (mm)	120
Width (mm)	80
Height (mm)	800
LxWxH mm	120x80x800

DESCRIPTION	Order No.
67470A/B/W BLACK BOLLARD 80cm 10W WW IP65 230V Path light; 20 GARDEN&UNDERWATER	LID15842