

Data Sheet for Article: LID16017--

65738/BBS/W BRUSHED BRASS 3W WW IP20 230V

Wall luminaire; 17 HOTEL & BEDROOM



Product Details

3W LED bedside adjustable fitting ideal for room hotel installation, IP20. _x000D_ Complete with driver._x000D_ Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	160
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	I
IP Rating	IP20
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	36
Power of system (W)	53,33
System efficiency (lm/W)	53
Power Factor	0,5

Technical Data - continued

Power (W)	3
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	700
Frequency (Hz)	50/60
Mounting	surface mounting wall
Colour	Brass
Material	Aluminum
Height (mm)	90
Diameter (mm)	60
Optional Accessories	LID16949--
ØxH mm	80x90

Article Table

DESCRIPTION	Order No.
65738/BBS/W BRUSHED BRASS 3W WW IP20 230V Wall luminaire; 17 HOTEL & BEDROOM	LID16017
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949