

Data Sheet for Article: LID16181--

62182/BAN/W BRUSHED ANTHRACITE PLAFO 40W WW IP20 230V

Decorative LED surface-mounted ceiling luminaire; 14 PLAFO



Product Details

40W LED Decorative Plafo, IP20, suitable for residential and commercial application. Complete with 1050mA driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	3400
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP20
EEC	F
Energy efficiency class	F
Luminaire type	ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	85

Technical Data - continued

Power Factor	0,9
Power (W)	40
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	1050
Input current (A)	1,05
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Anthracite
Material	Aluminum
Height (mm)	87
Diameter (mm)	480
Optional Accessories	LID16949--
ØxH mm	480x87

Dimensioned drawing: 62182/BAN/W BRUSHED ANTHRACITE PLAFO 40W WW IP20 230V



Article Table

DESCRIPTION	Order No.
62182/BAN/W BRUSHED ANTHRACITE PLAFO 40W WW IP20 230V Decorative LED surface-mounted ceiling luminaire; 14 PLAFO	LID16181
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949