

Data Sheet for Article: LID16449--

# 11109B/W/W WHITE COB LED 9W WW 40° 500mA DARK LIGHT

04 REC SPOTS ADJ LED



## Product Details

9W COB LED recessed spot IP20. \_x000D\_ Requires 500mA driver. \_x000D\_ Complete with Black & Brass reflectors. \_x000D\_ Complies with standard EN60598-1 and any other specific standards.

## Technical Data


|                             |                            |
|-----------------------------|----------------------------|
| Luminous flux (lm)          | 675                        |
| Light colour                | warm white                 |
| Colour temperature (K)      | 3000                       |
| Colour rendering index (Ra) | ≥90                        |
| Dimmable                    | Depending on driver<br>yes |
| Protection class            | III                        |
| IP Rating                   | IP20                       |
| Luminaire type              | Recessed ceiling luminaire |
| Illuminant incl.            | yes                        |
| Lamp holder                 | LED Platine                |
| Beam angle (°)              | 40                         |
| System efficiency (lm/W)    | 75                         |

## Technical Data - continued

|                           |                                |
|---------------------------|--------------------------------|
| Power (W)                 | 9                              |
| Controller                | Needs to be ordered separately |
| Operation current mA (mA) | 550                            |
| Input current (A)         | 0,50                           |
| Mounting                  | recessed mounting ceiling      |
| Cut-out size (mm)         | Ø 120                          |
| Mounting depth (mm)       | 90                             |
| Colour                    | White                          |
| Material                  | Aluminum                       |
| Height (mm)               | 134                            |
| Diameter (mm)             | 136                            |
| Optional Accessories      | LID16949--                     |
| Necessary Accessories     | LID15950--; LID16616--;        |
| ØxH mm                    | 136x134                        |
| Cut-out size mm           | Ø 120                          |

## Dimensioned drawing: 11109B/W/W WHITE COB LED 9W WW 40° 500mA DARK LIGHT



**Energieeffizienzklasse: 11109B/W/W WHITE COB LED 9W WW 40° 500mA  
DARK LIGHT**

## Article Table

| DESCRIPTION                                                                 | Order No. |
|-----------------------------------------------------------------------------|-----------|
| 11109B/W/W WHITE COB LED 9W WW 40° 500mA DARK LIGHT<br>04 REC SPOTS ADJ LED | LID16449  |
| <b>Necessary Accessories</b>                                                |           |
| 89015CT DIMMABLE DRIVER 500mA 7,5-15W 230V<br>23 DRIVERS                    | LID15950  |
| 89015C DRIVER 500mA 7,5-15W 230V<br>23 DRIVERS                              | LID16616  |
| <b>Optional Accessories</b>                                                 |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port<br>26 ACCES&GADGETS               | LID16949  |