

Data Sheet for Article: LID16688--

# 50140B/W/D WHITE 40W DL 60x60cm RECESSED PANEL IP20 BACKLIT

Ceiling LED; 06 DOWNLIGHT FIX LED



## Product Details

60x60 recessed backlit LED panel for T-rail false ceilings. Uniform lighting, ideal for commercial applications. Complete with 850mA driver. Complies with standard EN60598-1 and any other specific standards.

## Technical Data

|                             |             |
|-----------------------------|-------------|
| Luminous flux (lm)          | 4000        |
| Light colour                | cool white  |
| Colour temperature (K)      | 6000        |
| Colour rendering index (Ra) | ≥80         |
| Service life                | 35.000h     |
| Dimmable                    | no          |
| Protection class            | II          |
| IP Rating                   | IP20        |
| Luminaire type              | LED Panel   |
| Illuminant incl.            | yes         |
| Lamp holder                 | LED Platine |
| Beam angle (°)              | 120         |
| System efficiency (lm/W)    | 100         |

## Technical Data - continued

|                           |                           |
|---------------------------|---------------------------|
| Power Factor              | 0,9                       |
| Power (W)                 | 40                        |
| Controller                | LED driver                |
| Operating voltage AC (V)  | 220-240                   |
| Input voltage AC (V)      | 220-240                   |
| Operation current mA (mA) | 850                       |
| Input current (A)         | 0,85                      |
| Frequency (Hz)            | 50/60                     |
| Mounting                  | recessed mounting ceiling |
| Mounting depth (mm)       | 50                        |
| Colour                    | White                     |
| Material                  | Steel<br>Aluminum         |
| Lenght (mm)               | 595                       |
| Width (mm)                | 595                       |
| Height (mm)               | 29                        |
| Optional Accessories      | LID16949--                |
| LxWxH mm                  | 595x595x29                |

## Article Table

| DESCRIPTION                                                                                      | Order No. |
|--------------------------------------------------------------------------------------------------|-----------|
| 50140B/W/D WHITE 40W DL 60x60cm RECESSED PANEL IP20 BACKLIT<br>Ceiling LED; 06 DOWNLIGHT FIX LED | LID16688  |
| <b>Optional Accessories</b>                                                                      |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port<br>26 ACCES&GADGETS                                    | LID16949  |