


Data Sheet for Article: LID16704--

7846/EW COB LED STRIP 24V DC EW 5m ROLL

14W/m IP20

08 STRIPS & PROFILES



Product Details

Flexible COB LED light strip, 512LEDs/m, 14W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 6,25cm. Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Light colour	warm white
Colour temperature (K)	2700
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP20
EEC	F
Energy efficiency class	E
Luminaire type	LED Strip
Illuminant incl.	yes
Lamp holder	LED Platine

Technical Data - continued

System efficiency (lm/W)	85
Controller	Needs to be ordered separately
Operating voltage DC (V)	24
Input voltage DC (V)	24
Mounting	surface mounting ceiling surface mounting wall floor mounting
Length (mm)	5000
Width (mm)	10
Optional Accessories	LID 16771--; LID 16772--; LID 16773--
luminous flux/m (lm/m)	1200

Article Table

DESCRIPTION	Order No.
7846/EW COB LED STRIP 24V DC EW 5m ROLL 14W/m IP20	LID16704
08 STRIPS & PROFILES	
Optional Accessories	
7846C CONNECTOR FOR 7846 10mm	LID16771
08 STRIPS & PROFILES	
7846P POWER SUPPLY FOR 7846 10mm	LID16772
08 STRIPS & PROFILES	
7846B CORNER CONNECTOR FOR 7846 10mm	LID16773
08 STRIPS & PROFILES	