

Data Sheet for Article: LID16740--

62132N/BBS/W BRUSHED BRASS PLAFO LED

32W WW IP20 230V

14 PLAFO



Product Details

32W LED Decorative Plafo, IP20, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	2720
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP20
Luminaire type	ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Detection angle (°)	
System efficiency (lm/W)	85
Power Factor	0,9

Technical Data - continued

Power (W)	32
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	800
Input current (A)	0,80
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Brass
Material	Aluminum
Diameter (mm)	455
Optional Accessories	LID16949--
ØxH mm	455x132

Article Table

DESCRIPTION	Order No.
62132N/BBS/W BRUSHED BRASS PLAFO LED 32W WW IP20 230V 14 PLAFO	LID16740
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949