

Data Sheet for Article: LID16742--

10112HA/B/W BLACK LED 12W WW 38° IP20

700mA DARK LIGHT

02 REC SPOTS FIX LED



Product Details

12W COB LED recessed spot, IP20, for general application. Suitable with Mix & Match range. Requires 700mA constant current driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	1100
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	38
Detection angle (°)	

Technical Data - continued

System efficiency (lm/W)	91
Power (W)	12
Controller	Needs to be ordered separately
Operation current mA (mA)	700
Input current (A)	0,70
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 66
Mounting depth (mm)	135
Colour	Black
Material	Die-cast aluminum
Height (mm)	94
Diameter (mm)	72
Optional Accessories	LID16949--
Necessary Accessories	LID13081--;
ØxH mm	72x94
Cut-out size mm	Ø 66

Article Table

DESCRIPTION	Order No.
10112HA/B/W BLACK LED 12W WW 38° IP20 700mA DARK LIGHT 02 REC SPOTS FIX LED	LID16742
Necessary Accessories	
89015A DRIVER 700mA 7-15W 230V 23 DRIVERS	LID13081
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949