

Data Sheet for Article: LID16752--

67426B/G GREY WALL GU10 10w IP54

100-240V

12 WALL & CEILING



Product Details

10W MR16 GU10 wall cube light IP54. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Dimmable	yes Depending on light source
Protection class	I
IP Rating	IP54
Shock strength	IK06
Luminaire type	ceiling luminaire wall luminaire
Light source	LED Retrofit MR16
Illuminant incl.	no
Number of lamps	1
Lamp holder	GU10
Detection angle (°)	
Power (W)	10

Technical Data - continued

Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling surface mounting wall
Colour	Grey
Material	Die-cast aluminum
Length (mm)	1
Width (mm)	63
Height (mm)	35
Optional Accessories	LID 17278--; LID 17279--; LID 17203--; LID 13226--; LID 14508--; LID 15671--; LID 16949--; LID 16098--; LID 13213--;
LxWxH mm	63x63x35

Article Table

DESCRIPTION	Order No.
67426B/G GREY WALL GU10 10w IP54 100-240V 12 WALL & CEILING	LID 16752
Optional Accessories	
7305EG/W 5W GU10 WW 230V IP44 FOR ENCLOSED FITTINGS Suitable for high ambient temperature enclosed fittings; 25 LAMPS	LID 17278
7305EGD/W 5W GU10 WW IP44 DIMMABLE FOR ENCLOSED FITTINGS Suitable for high ambient temperature enclosed luminaires; 25 LAMPS	LID 17279
7304GE/W EMERGENCY SMD 4W 3hrs WW GU10 60° 230V TRIAC DIM Emergency bulb, adapted for continuous operation only; 25 LAMPS	LID 17203
7306CG/W WHITE COB 6W WW GU10 60° 230V 25 LAMPS	LID 13226
7306CGD/W WHITE COB 6W WW GU10 60° 230V DIMMABLE dimmable; 25 LAMPS	LID 14508
7306CBG/W BLACK COB 6W WW GU10 60° 230V Reflector lamp; 25 LAMPS	LID 15671
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID 16949
0800BA CONNECTION BOX IP67 2 WAY Mounting accessory; 26 ACCES&GADGETS	LID 16098

Article Table

DESCRIPTION	Order No.
Optional Accessories	
0800A CONNECTION BOX IP67 3 WAY	LID 13213
26 ACCES&GADGETS	