

Data Sheet for Article: LID16818--

42114C/B/W BLACK 30W WW 48V IP20 ADJUSTABLE

Spotlight insert adjustable 38°; MINI/MIDI/MAXI/P&P; 10 TRACKS & MAGNETIC



Product Details

Track spot for magnetic track, ideal for shops and showrooms. Suitable for MINI, MIDI and MAXI magnetic tracks. _x000D_ _x000D_ _x000D_ Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	2400
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	III
IP Rating	IP20
Luminaire type	power trail luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	38
Detection angle (°)	
System efficiency (lm/W)	80

Technical Data - continued

Power (W)	30
Controller	Needs to be ordered separately
Operating voltage DC (V)	48
Input voltage DC (V)	48
Mounting	power rail mounting
Colour	Black
Material	Aluminum
Height (mm)	154
Diameter (mm)	83
Optional Accessories	LID16949--
ØxH mm	83x154

Article Table

DESCRIPTION	Order No.
42114C/B/W BLACK 30W WW 48V IP20 ADJUSTABLE Spotlight insert adjustable 38°; MINI/MIDI/MAXI/P&P; 10 TRACKS & MAGNETIC	LID16818
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949