

Data Sheet for Article: LID16894--

65660BT/B/W BLACK

20W/25W/30W/35W WW TRACK SPOT

230V

20W/25W/30W/35W and 2400/3000/3600/4200lm; 09 TRACK LIGHTS



Product Details

20W/25W/30W/35W Adjustable power COB LED track spot, ideal for shops and showrooms. Complete with driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Luminous flux (lm)	2400/3000/3600/4200
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	II
IP Rating	IP20
Luminaire type	power trail luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	38

Technical Data - continued

System efficiency (lm/W)	120
Power Factor	0,9
Power (W)	20/25/30/35
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	500/600/750/850
Frequency (Hz)	50/60
Mounting	power rail mounting
Colour	Black
Material	Aluminum
Height (mm)	100
Diameter (mm)	100
Optional Accessories	LID 16902--; LID 16901--; LID 16905--; LID 17013--
ØxH mm	100x100

Dimensioned drawing: 65660BT/B/W BLACK 20W/25W/30W/35W WW TRACK SPOT 230V



Article Table

DESCRIPTION	Order No.
65660BT/B/W BLACK 20W/25W/30W/35W WW TRACK SPOT 230V 20W/25W/30W/35W and 2400/3000/3600/4200lm; 09 TRACK LIGHTS	LID16894
Optional Accessories	
050300B/W WHITE RING FOR 65660BT/65660BTT/65660BTL 09 TRACK LIGHTS	LID16902
050300B/BS BRASS RING FOR 65660BT/65660BTT/65660BTL 09 TRACK LIGHTS	LID16901
0750B/15 LENS 15° FOR 65660BT/65660BTT/65660BTL/12120F 09 TRACK LIGHTS	LID16905
0750B/24 LENS 24° FOR 65660BT/65660BTT/65660BTL/12120F 09 TRACK LIGHTS	LID17013