

Data Sheet for Article: LID17077--

67498/AN/V ANTHRACITE PLAFO 20W CCTV IP65 230V

3CCT, adjustable; 14 PLAFO



Product Details

20W LED plafo light 3CCT, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	1300
Light colour	neutral white warm white cool white
Colour temperature (K)	4000 6500 3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	II
IP Rating	IP65
Shock strength	IK06
Luminaire type	ceiling luminaire

Technical Data - continued

Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	65
Power Factor	0,9
Power (W)	20
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	550
Input current (A)	0,50
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Anthracite
Material	PC Plastic
Cover	PC opal
Height (mm)	62
Diameter (mm)	320
Optional Accessories	LID 16949--
ØxH mm	320x62

Dimensioned drawing: 67498/AN/V ANTHRACITE PLAFO 20W CCTV IP65 230V



Article Table

DESCRIPTION	Order No.
67498/AN/V ANTHRACITE PLAFO 20W CCTV IP65 230V 3 CCT, adjustable; 14 PLAFO	LID17077
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949