

Data Sheet for Article: LID18092--

67470A/B/V BLACK BOLLARD 80cm 10W CCTV IP65 230V

20 GARDEN&UNDERWATER



Product Details

10W CCT Variable LED Bollard, IP65 for Garden illumination. Supplied with non-dimmable driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Net length (mm)	120,00
Net width (mm)	80,00
Colour	Black
Material	Aluminum
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	250
Input current (A)	0,25
Lamp holder	LED Platine
System efficiency (lm/W)	50
Power (W)	10

Technical Data - continued

Light colour	neutral white warm white cool white
Colour temperature (K)	4000 3500 3000
Colour rendering index (Ra)	≥80
Luminous flux (lm)	500
Dimmable	no
Protection class	I
IP Rating	IP65
Shock strength	IK10

Dimensioned drawing: 67470A/B/V BLACK BOLLARD 80cm 10W CCTV IP65 230V



Dimensioned drawing: 67470A/B/V BLACK BOLLARD 80cm 10W CCTV IP65 230V



DESCRIPTION	Order No.
67470A/B/V BLACK BOLLARD 80cm 10W CCTV IP65 230V 20 GARDEN&UNDERWATER	LID18092