


Data Sheet for Article: LIG3100037

SEGON LED 20W DALI 1900lm/ 830 MAT IP44 UGR<19 70° white GEN2



Light distribution curve




Technical Data

Net height (mm)	105,00
Net diameter (mm)	240,00
Net weight (kg)	0,70
Min. ambient temperature (°C)	0
Max. ambient temperature (°C)	45
Cut-out size (mm)	Ø215

Technical Data - continued

Luminaire type	Recessed ceiling luminaire
Mounting	recessed mounting ceiling
Colour	White
Material	Aluminum
Cover	matt
Manufacturer	01-Schrack-Trinity
Beam angle (°)	70
Glare factor (UGR)	<19
Controller	EVG DALI
Operating voltage AC (V)	220-240
Lamp holder	LED Platine
System efficiency (lm/W)	95
Power (W)	20
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Luminous flux (lm)	1900
Service life	50.000h / L80 / B10
Dimmable	DALI
Protection class	I
IP Rating	IP44
Shock strength	IK07
Illuminant incl.	yes
ØxH mm	240x105
Cut-out size mm	Ø215

Dimensioned drawing: SEGON LED 20W DALI 1900lm/830 MAT IP44 UGR<19 70° white GEN2



Article Table

DESCRIPTION	Order No.
SEGON LED 20W DALI 1900lm/830 MAT IP44 UGR<19 70° white GEN2	LIG3100037