


Data Sheet for Article: LIGU192101

# RUBINI LED 27W 3250lm 740, asymmetric, IP66, grey

Street light, mast top 60mm



## Light distribution curve




## Technical Data

|                               |        |
|-------------------------------|--------|
| Net length (mm)               | 407,00 |
| Net width (mm)                | 110,00 |
| Net height (mm)               | 120,00 |
| Net weight (kg)               | 2,90   |
| Min. ambient temperature (°C) | -40    |

## Technical Data - continued

|                               |                      |
|-------------------------------|----------------------|
| Max. ambient temperature (°C) | 55                   |
| Luminaire type                | street light         |
| Surge protection (kV)         | 6                    |
| Mounting                      | mast mounting        |
| Colour                        | Grey                 |
| Material                      | Aluminum             |
| Cover                         | Clear                |
| Controller                    | ECG                  |
| Operating voltage AC (V)      | 220-240              |
| Light source                  | LED                  |
| Lamp holder                   | LED Platine          |
| System efficiency (lm/W)      | 120                  |
| Power (W)                     | 27                   |
| Light colour                  | neutral white        |
| Colour temperature (K)        | 4000                 |
| Colour rendering index (Ra)   | ≥70                  |
| Luminous flux (lm)            | 3250                 |
| Service life                  | 100.000h / L80 / B10 |
| Dimmable                      | no                   |
| Protection class              | II                   |
| IP Rating                     | IP66                 |
| Pole-top (mm)                 | 60                   |
| Wind Exposed (m²)             | 0,029                |
| LxWxH mm                      | 407x110x120          |

## Dimensioned drawing: RUBINI LED 27W 3250lm 740, asymmetric, IP66, grey



## Article Table

| DESCRIPTION                                                                      | Order No.  |
|----------------------------------------------------------------------------------|------------|
| RUBINI LED 27W 3250lm 740, asymmetric, IP66, grey<br>Street light, mast top 60mm | LIGU192101 |
| <b>Optional Accessories</b>                                                      |            |
| RUBINO LED adapter 60 to 76 mm, grey                                             | LIG1517817 |
| RUBINO LED wall bracket 60 mm, grey                                              | LIG1517818 |