


Data Sheet for Article: LIUS0005--

MEVIA LED 15W 1210lm 930 30° 230V black

3-phase Track spotlight



Light distribution curve




Product Details

MEVIA LED is a versatile 3-phase track light, available in black or white, ideal for a range of applications. With 15W power, 1210lm, and a CRI >90, it offers excellent color rendering and efficiency. The standard 30° beam angle can be swapped for 24° or 45° lenses. Perfect for interiors that require precise lighting solutions.

Technical Data

Net length (mm)	157,00
Net height (mm)	148,00
Net diameter (mm)	65,00
Net weight (kg)	0,55
Min. ambient temperature (°C)	-20
Max. ambient temperature (°C)	40
Luminaire type	power rail luminaire
Mounting	power rail mounting
Colour	Black
Material	Aluminum
Beam angle (°)	30
Controller	LED driver AC / DC
Operating voltage AC (V)	220-240
Operation current mA (mA)	350
Lamp holder	LED Platine
Power (W)	15
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Colour stability MacAdam (sdcm)	<6
Luminous flux (lm)	1250
Service life	50.000h
Dimmable	no
Protection class	I
IP Rating	IP20
Energy efficiency class	F
Illuminant incl.	yes
Diameter (mm)	65
ØxH mm	65x148
Numbers of luminars per MCB B10	74
Numbers of luminars per MCB B16	118
Numbers of luminars per MCB C10	74
Numbers of luminars per MCB C16	118

Dimensioned drawing: MEVIA LED 15W 1210lm 930 30° 230V black

Article Table

DESCRIPTION	Order No.
MEVIA LED 15W 1210lm 930 30° 230V black 3-phase Track spotlight	LIUS0005
Optional Accessories	
MEVIA 15W changeable lens 24°	LIUS0011
MEVIA 15W changeable lens 45°	LIUS0014