


Data Sheet for Article: LIVY51465-

Sport EBL 48W, 4000K, 5618lm, IP20, BWS, white

Ballwurfsichere Einbaurasterleuchte



Light distribution curve




Technical Data

Net length (mm)	1.198,00
Net width (mm)	298,00
Net height (mm)	80,00
Net weight (kg)	6,80
Min. ambient temperature (°C)	-20
Max. ambient temperature (°C)	50
Luminaire type	Rasterleuchte
Mounting	panel mounting

Technical Data - continued

Colour	White
Material	sheetsteel
Beam angle (°)	30
Operating voltage AC (V)	230
Operation current mA (mA)	920
Lamp holder	LED Platine
Power (W)	48
Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Colour stability MacAdam (sdcm)	3
Luminous flux (lm)	5618
Service life	75.000h / L80 / B10, 110.000h/L70/B10
Dimmable	no
Protection class	I
IP Rating	IP43
Shock strength	IK7
Ball impact resistant	Yes
Illuminant incl.	yes
LxWxH mm	1198x298x80
Cut-out size (mm)	1188x288
Cut-out size mm	1188x288
Numbers of luminars per MCB B10	17
Numbers of luminars per MCB B16	27
Numbers of luminars per MCB B20	34
Numbers of luminars per MCB C10	28
Numbers of luminars per MCB C16	46
Numbers of luminars per MCB C20	57

Dimensioned drawing: Sport EBL 48W, 4000K, 5618lm, IP20, BWS, white



DESCRIPTION	Order No.
Sport EBL 48W, 4000K, 5618lm, IP20, BWS, white Ballwurfsichere Einbaurasterleuchte	LIVY51465