

**Self-contained lumin. KC selfcontrol LED/ 1h
3h 230V AC wall**

Exit sign: wall mounting, safety light: ceiling mounting, viewing distance: 30m, 1h: 300lm; 3h: 300lm



Technical Data


Net length (mm)	357,00
Net width (mm)	176,00
Net height (mm)	73,00
Net weight (kg)	0,80
Luminaire type	emergency sign luminaire
Self contained - central battery	Self contained luminaire
Function	self controlled
Version	Plastic luminaire
Design	KC
Halogen-free	Housing made of halogen-free plastic
Colour	White
Viewing distance (m)	30
Backup time (h)	3

Technical Data - continued


Illuminant	LED (3W)
Lumen	1h: 300;3h: 300
Voltage range (V)	230V AC 50Hz $\pm 20\%$
Battery (V/Ah)	2x 3,2V/3,3Ah LiFePO4
IP Rating	IP54
Mounting	surface mounting wall
AA Class E 8101	AA4
Manufacturer	Schrack

Abmessungen (mm)

NLKCW...



Bohrabstände (mm)



Abstandstabelle - Min. Beleuchtungsstärke auf der Mittellinie: 1lx - Wartungsfaktor 0,80 1h-3h Autonomiezeit

Montagehöhe [m]					
2.00	3,33	8,29	8,25	8,22	3,33
2.50	3,57	9,09	9,13	9,18	3,71
3.00	3,84	9,78	9,87	9,96	3,84
3.50	4,03	10,35	10,46	10,57	4,03
4.00	3,86	10,84	10,94	11,05	4,14

Article Table

DESCRIPTION	Order No.
Self-contained lumin. KC selfcontrol LED/1h 3h 230V AC wall Exit sign: wall mounting, safety light: ceiling mounting, viewing distance: 30m, 1h: 300lm; 3h: 300lm	NLKCWP001S
Optional Accessories	
Rain cover for emergency luminaires Design KC plexiglass	NLKCRD
Concrete Plaster Box for Emergency luminaires Design KC	NLKCBERO
Recessed Frame for Emergency luminaires Design KC	NLKCER00
IP65 Sealing for (NLKCW..)	NLKCIP65
Clear cover with hanging pictogram vd 24m for NLKCW..	NLKCH
Transparent Cover for Emergency luminaire Design KC	NLKCPR
Accu NiMH 9,6V 2,0 Ah for self contained luminaires ERT-LED Suitable for LPU module	NLAKKU9620
Ball Protection for KC, KB+KBG, KX, PF, LX, C2	NLBALL2
Plug-pictogram left top for Design KC viewing distance: 30m	NLKCPIKTLO
Plug-pictogram left bottom for Design KC viewing distance: 30m	NLKCPIKTLU
Plug-pictogram right top for Design KC viewing distance: 30m	NLKCPIKTRO
Plug-pictogram right bottom for Design KC viewing distance: 30m	NLKCPIKTRU