

Data Sheet for Article: PVAC0100-K

# PV AC-Sammelschrank 100kW Kärnten

## H=1000 B=800 T=400mm

mit 1 x Kabeleinführungsflansch Typ C, Flanschausschnitte je B=300 T=190mm



### Technical Data

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| Net width (mm)                    | 800,00                            |
| Net height (mm)                   | 1.000,00                          |
| Netto depth (mm)                  | 400,00                            |
| Colour                            | RAL 7035 (Light grey)             |
| IP Rating                         | IP31                              |
| Product category                  | Completely configured distributor |
| Protection class                  | I                                 |
| Product standard                  | EN 61439-1                        |
| Mounting plate                    | galvanized sheet steel 2mm        |
| Mounting Plate Load Capacity (kg) | 200                               |
| Number of doors                   | 1                                 |
| Impact Resistance                 | IK10                              |
| Power (W)                         | 100k                              |
| Rated voltage                     | 400V                              |
| Rated current (A)                 | 250                               |
| EAN                               | 9004840973532                     |
| Basic Description                 | Enclosure                         |



## Article Table

| DESCRIPTION                                                                                                                                                                | Order No.  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PV AC-Sammelschrank 100kW Kärnten H=1000 B=800 T=400mm<br>mit 1 x Kabeleinführungsflansch Typ C, Flanschausschnitte je B=300 T=190mm                                       | PVAC0100-K |
| <b>Optional Accessories</b>                                                                                                                                                |            |
| WSA Adapter gland plate for type C<br>with 1 gland plate opening, for WSA5040300, WSA6040300, WSA6080300, WSA6080302, WSA8040300,<br>WSA8080300, WSA1008300 and WSA1208300 | WSAVBF05   |
| Plastic gland plate for WSAVBF, 6 cable glands, IP65<br>2x 24-54mm, 1x 30-59mm, 3x 6-14mm, 4x plastic rivets for installation included                                     | WSTBT2130G |
| Plastic gland plate for WSAVBF, 17 cable glands, IP55<br>9x 18-30mm, 4x 10-15mm, 4x 5-10mm, 4x plastic rivets for installation included                                    | WSTBT2117G |