

Data Sheet for Article: WSI211413-

# Gland plate for frame WSI211400 with 10x4-10mm

gland plate dimensions W=34 D=68mm, RAL7035



## SCHRACK-Info

- Interchangeable cable entry inserts for insertion into the WSI frames
- The cable entry inserts can be individually combined according to customer requirements
- Overview:
  - Gland plate inserts WSI13081x for frame WSI130800
  - Gland plate inserts WSI2114xx for frame WSI211400
- For gland plate completion see chapters:
  - Adapter gland plates
  - Frames for adapter gland plates
- Material: Glass fiber reinforced polypropylene
- Degree of protection: IP65
- PU: 1 piece with mounting material

**IP66**

## Technical Data

|                 |       |
|-----------------|-------|
| Net width (mm)  | 34,00 |
| Net height (mm) | 5,00  |


## Technical Data - continued

|                  |       |
|------------------|-------|
| Netto depth (mm) | 68,00 |
| Net weight (kg)  | 0,15  |
| Height (mm)      | 5     |
| Width (mm)       | 34    |
| Depth (mm)       | 68    |
| IP Rating        | IP65  |


## Overview of Cable Entry Inserts




#1




#2




#1



#2



#3



[mm]

## Article Table

| DESCRIPTION                                                                                                 | Order No. |
|-------------------------------------------------------------------------------------------------------------|-----------|
| Gland plate for frame WSI211400 with 10x4-10mm<br>gland plate dimensions W=34 D=68mm, RAL7035               | WSI211413 |
| <b>Optional Accessories</b>                                                                                 |           |
| Frame for adapter gland plates WSI21xxx<br>for adapter gland plate types 3, 5, 6, 7, 8 and 9, RAL7035, IP65 | WSI211400 |